# The Laminate Worlds of Classen Fast. Easy. Megaloc.





# Laminate Worlds with Megaloc-installation system





fast & easy





Megaloc is new. Megaloc is unique. Megaloc is certainly the world's fastest and easiest installation system. Laying your CLASSEN laminate flooring will be child's play with this latest glue-free installation system. The roof tile principle of installation means that a special locking mechanism on the short side is superfluous. Simply place the board in the groove of the previously laid row. As it is lowered, the laminate floorboard will be locked in with the previously installed board. Finally, just press your thumb quickly on the cross bevel and it's ready!

## The principle: Classen megaloc The application: Classen laminate flooring


Select laminate flooring, quick and easy to lay



# Discover a whole new world for yourself – CLASSEN's laminate flooring







Enter a world which is defined by individual philosophies of life.

Discover CLASSEN's laminate range, a multiplicity of surfaces, floorboard formats and finishes, as they can only be offered to you by one of the world's leading laminate flooring manufacturers.

Experience the world of CLASSEN at your building material supplier.



#### CLASSEN Style World

The seven-millimetre collection with select high-quality finishes.

#### CLASSEN Trend World

Elegant finishes and trendy surfaces make this special collection distinctive.

#### CLASSEN Premium World

State-of-the-art laminate flooring, surfaces and formats with the highest quality appearance and workmanship – simply premium.

## 7 mm Fine Pore AC3



Art.-Nr. 26180 Oak elegance 2-Strip



Art.-Nr. 26181 Listone Bianco



Art.-Nr. 24356 Pear 3-Strip



Art.-Nr. 26182 Olive 2-Strip



Art.-Nr. 22172 Maple Nature 3-Strip



Art.-Nr. 22121 Beech 3-Strip



Art.-Nr. 22173 Oak Nature 3-Strip





# Style World – simple and ingenious

CLASSEN Style World lives up to its name. In this collection, you will find select high-quality finishes with a flooring thickness of seven millimetres.

The real sensation however, is the success of the adhesive-free installation system CLASSEN megaloc, which is integrated in all laminate flooring of the CLASSEN brand and virtually revolutionises the installation process.

Floors in the CLASSEN Style World range have a finely textured structure and are recommended for private residential use, featuring utilisation class 31/3.

CLASSEN Style World – modern and open minded.

#### 7 mm Fine Pore AC3



Art.-Nr. 27445 Listone Colorado







Art.-Nr. 22174 Cherry 3-Strip



Art.-Nr. 22176 Sacramento Pine Full Plank



Art.-Nr. 24357 Plum 3-Strip



Art.-Nr. 26179 Stone Oak 3-Strip




Art.-Nr. 22178 Lapacho Chocolate Full Plank



Art.-Nr. 22179 Wenge Full Plank



10 years Guarantee	7 mm Thickness	Quality demand class 31	Finely porous structure	Isowaxx
duarantee	monicos	acc to EN 12220 AC2	They porous structure	







Art.-Nr. 25862 Pine Silver Full Plank



Art.-Nr. 25851 Oak Light Full Plank



Art.-Nr. 25849 Honey Maple Full Plank



Art.-Nr. 26294 Maple Fineliner



Art.-Nr. 25850 Camedo Maple Full Plank



Art.-Nr. 25863 Arizona Pecan Full Plank



Art.-Nr. 25864 Alaska Oak Full Plank





# Style Structure

The structured floor surfaces of the Style-World-Collection produce a distinctive feature. The thickness of the floor panel is only 7 mm nevertheless, the surface has an amazing structure that is pleasant to the touch. The flooring with the matt surface structure also creates a special

effect and gives the Style World its own special characteristic.

Floors in the CLASSEN Style World range are recommended for private residential use, featuring utilisation class 31/3.

#### 7 mm Structure AC3





Art.-Nr. 25865 Teak Borneo Full Plank



Art.-Nr. 26163 Lapacho Natural Full Plank



Art.-Nr. 25866 Michigan Oak Full Plank



Art.-Nr. 25869 Tiger Wood Full Plank



Art.-Nr. 25870 Tasmanian Oak Full Plank



Art.-Nr. 25873 Maracaibo Chocolate



Art.-Nr. 25871 Black Cherry Full Plank








#### 8 mm Structure AC4





# Trend World enjoy your life

Life on a high level, freedom to surf the latest wave, a little adventure spiced with a splash of jet-setting. That is what CLASSEN Trend World offers.

A large selection of chic flooring and trendy surfaces with structures pleasant to the touch. The Classen Trend World brings that something special into your home – a real trend setter.

As it is classified in wear resistance category 32 and abrasion resistance category 4, this eight-millimetre thick flooring is suitable for normal use in industrial spaces.







Art.-Nr. 21379, Pine Full Plank









Art.-Nr. 22142, Walnut Full Plank

## 8 mm Structure AC4













Art.-Nr. 26173, Walnut 2-Strip





# Trend World – enjoy your life


The CLASSEN Trend World is recommended for the hightraffic areas of your home. The quick installation system Classen megaloc is also used here to install the trendy laminate floor boards – quick and easy. But of course, there are other things in life ...

CLASSEN Trend World – seize the day.

# 15 8 Imm Guarantee Thickness Quality demand class 32 acc. to EN 13329 AC4 Commercial use







#### 8 mm Structure AC4



Art.-Nr. 22145, Wenge Full Plank

## 8 mm Effect Structure AC4 (with bevelled edge)



Art.-Nr. 21403 Whitewashed Oak Light Full Plank



Art.-Nr. 21404 Whitewashed Oak Brown Full Plank



Art.-Nr. 21406 Whitewashed Oak Dark Full Plank




# Premium World – the big extravaganza

The best days of our lives – wedding, trip to the opera, fancy clothes – and to match this CLASSEN Premium World provides the ample array of a highend collection.

Laminate flooring in its perfect form, the fine art of craftsmanship: The effect of the structured flooring is characterised by a surface relief that is pleasant to the touch. The surrounding chamfer provides the Premium World flooring with its high quality look - simply first class.

For flooring with a handscraped effect, the appearance of freshly scraped young boards that were installed right away was replicated. The softer bevels become compacted, little by little, as people walk on the floor.





## 8 mm Handscraped AC4 (with bevelled edge)



Art.-Nr. 21408 Oak Nature Full Plank



Art.-Nr. 21407 Montana Oak Full Plank




Art.-Nr. 21409 Durango Pecan Full Plank



Art.-Nr. 26160 Mountain Oak Full Plank



Art.-Nr. 21410 Basalt Oak Full Plank









Art.-Nr. 25963 Oak Perigord Full Plank



Art.-Nr. 25966 Nebraska Oak Full Plank



Art.-Nr. 25964 Fresco Full Plank






The indentations created over the years, in conjunction with the raised areas constitute the particular charm of such a floor, and also of this laminate flooring. The bevelled edge rounds out the appearance of an old wooden plank.

The 6 inch wide typical format of a classical floor board experiences a renaissance in the CLASSEN Premium Word. The surrounding chamfer underscores the natural look of a traditional floor board after it is installed. The colour interaction of the six inch flooring has a remarkable affect due to the mat structure of its surface.

CLASSEN Premium World – the best days of our lives.





#### Structure matt 8 mm 6 Inch AC4 (with bevelled edge)



Art.-Nr. 25965 Castle Oak Full Plank



Art.-Nr. 25967 Canyon Oak Full Plank




Art.-Nr. 25968 Kontor Maple Full Plank



## **Overview Basic Characteristics** Technical Data

## **Style World**













## Trend World

Structured surface



## Premium World





Handscraped










With bordering bevelled edge








# Classen Megaloc – set, lock it in and done!







CLASSEN megaloc is super easy, super fast and super strong.

CLASSEN megaloc was developed and optimised for the easy installation of laminate flooring. This is where the installation concept with the lock clip system proves its superiority.

Try CLASSEN megaloc for yourself. You will discover: This way laying floors is fun.



- During the installation, ISOWAXX<sup>®</sup> seeps into the connecting joint and automatically seals it.
- For optimal protection from water ingression from above.

**26487** 01/10



CLASSEN Vertriebs GmbH Werner-von-Siemens-Straße 18–20 D-56759 Kaisersesch Tel.: ++49 (0) 26 53-980 0 Fax: ++49 (0) 26 53-980 299 Internet: www.classen.de E-Mail: info@classen.de